

INCH-POUND

MIL-L-19140E
AMENDMENT 2
29 January 1997
SUPERSEDING
AMENDMENT 1
1 October 1985

MILITARY SPECIFICATION

LUMBER AND PLYWOOD, FIRE-RETARDANT TREATED

This amendment forms a part of MIL-L-19140E, dated 28 June 1984, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 5

* 3.13.2, 1st sentence: Delete and substitute:

"This category applies only to Type II material and is required for staging (Scaffold) plank and plywood, and for other material when Category 2 is specified."

* 3.13.2, 2nd sentence: Delete "Staging planks shall...." and substitute "Material shall".

* 3.13.2, 4th sentence: Delete and substitute:

"This designation shall appear at least once on each edge at alternate ends, near to but not closer than 18 inches from the end, or if space permits, branding may be done on both ends. Material less than one inch in thickness may be branded or legibly ink stamped on the wide face."

PAGE 6

* Line 1: Delete: "Additionally, planks shall be...." and substitute: "Additionally, Category 2 material shall be....".

4.3, lines 3 and 4: Delete "4.5 and the tests of 4.6." and substitute: "4.5, the tests of 4.6, and the toxicity evaluation of 4.7."

FSC 5510

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

MIL-L-19140E
AMENDMENT 2

PAGE 11

4.7, first sentence: Delete and substitute: "To determine conformance to the requirements of 3.8, a manufacturer of material shall disclose the formulation of his product to the Naval Medical Command, MEDCOM 242, Washington, DC 20372."

4.7, after second sentence, add: "Information submitted shall be clearly marked or identified to show it is being provided in connection with qualification under MIL-L-19140."

PAGE 13

6.4.3: Add as last sentence: "It is recommended that acquisition documents specify only type I unless there is a valid reason for using type II."

Custodians:
Army - ME
Navy - SH

Preparing activity:
Navy - SH
(Project 5510-0402)

Review activities:
Navy - YD
DLA - CS, IS